



Dati tecnici - Technical data - Donnees technique - Technische Daten - Datos técnicos



**GFP 25 – GFU 25**  
**GFP 25 AC – GFU 25 AC**



**Dimensioni principali**  
**Overall dimension – Dimension principales – Wichtigste Abmessungen – Dimensiones principales**



## Dati tecnici – Technical data – Données techniques – Technische Daten – Datos técnicos

Modelli – Models – Modèles – Modelle - Modelos	GFP 25	GFP 25 AC	GFU 25	GFU 25 AC
Tipo – Type – Typ	A1			
Potenza nominale - Nominal thermal power – Puissance thermique nominale – Nominal-Wärmeleistung – Potencia tèrmica nominal	25 kW			
Livello nominale della vasca - Nominal tank level – Niveau nominal de la cuve – Nennstand des Beckens – Nivel nominal de la cuba	23 lt			
Capacità bacinella scarico olio - Oil drain capacity – Capacité bac déchargement huile – Fassungsvermögen Öl-Ablass-Behälter – Capacidad cubeta de descarga aceite	27 lt			
Potenza assorbita centralina elettronica – Absorbed power electronic board – Puissance absorbée carte électronique – Leistungsaufnahme Kontrollkarte	25 W			
Potenza assorbita alzata cestelli – Absorbed power basket lift – Puissance absorbée relevage paniers – Leistungsaufnahme Korbbeeinheit		80 W		80 W

GAS – GAZ	kW NOMINALI – NOMINAL – NOMINALE	MAX RPM	CONSUMO – CONSUMPTION - CONSOMMATION – VERBRAUCH	kW MIN	MIN RPM	O <sub>2</sub>	DIAFRAMMA GPL
G30 28..30 mbar	25,00	5520	1,972 kg/h	9,00	2040	3,5-4,5%	4,00 mm
G30 37 mbar	25,00	5520	1,972 kg/h	9,00	2040	3,5-4,5%	4,00 mm
G30 50 mbar	25,00	5520	1,972 kg/h	9,00	2040	3,5-4,5%	4,00 mm
G31 30..37 mbar	25,00	5520	1,942 kg/h	9,00	2040	3,5-4,5%	4,00 mm
G31 37 mbar	25,00	5520	1,942 kg/h	9,00	2040	3,5-4,5%	4,00 mm
G31 50 mbar	25,00	5520	1,942 kg/h	9,00	2040	3,5-4,5%	4,00 mm

G20 20 mbar	25,00	5520	2,646 m <sup>3</sup> /h	8,00	2040	3-4%
G20 25 mbar	25,00	5520	3,077 m <sup>3</sup> /h	8,00	2040	3-4%
G25 20 mbar	25,00	5520	3,077 m <sup>3</sup> /h	8,00	2040	3-4%
G25 25 mbar	25,00	5520	3,077 m <sup>3</sup> /h	8,00	2040	3-4%
G25.1 25 mbar	25,00	5520	3,072 m <sup>3</sup> /h	7,60	2040	3-4%
G2.350 13 mbar	25,00	5520	3,675 m <sup>3</sup> /h	7,60	2040	3-4%
G27 20 mbar	25,00	5520	3,227 m <sup>3</sup> /h	8,00	2040	3-4%
G110 8 mbar	20,00	5520	5,161 m <sup>3</sup> /h	7,20	2040	3-4%
G120 8 mbar	21,00	5520	4,821 m <sup>3</sup> /h	8,00	2040	3-4%
G150.1 8 mbar	20,00	5520	3,713 m <sup>3</sup> /h	7,20	2040	3-4%

**Categoria di appartenenza - Category – Catégorie – Kategorie – Categoria**

**Vedere targa matricola – See serial number plate – Voir plaque données – Siehe Plakette technische Daten**